

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/670,069	09/24/2003	Raymond Elijah Barnett	TI-35901	TI-35901 5105	
7590 06/14/2005			EXAMINER		
Dan Swayze			NGUYEN, KHANH V		
Texas Instruments Incorporated P.O. Box 655474, M/S 3999 Dallas, TX 75265			ART UNIT	PAPER NUMBER	
			2817		
			DATE MAILED: 06/14/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

Application No. Applicant(s)					
10/670.069	BARNETT, RAYMOND ELIJAH				
Examiner	Art Unit				
Khanh V. Nguyen	2817				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.					
1. This communication is responsive to <u>6/8/05</u> .					
2. The allowed claim(s) is/are <u>1-23</u> .					
3. The drawings filed on 24 September 2003 are accepted by the Examiner.					
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 					
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.					
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.					
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 					
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
6. ⊠ Interview Summary Paper No./Mail Dat 3), 7. ⊠ Examiner's Amendn	e <u>20050608</u> .				
	Examiner Khanh V. Nguyen Ars on the cover sheet with the coording of the appropriate communication of the Examiner. This application is subject to and MPEP 1308. The Examiner. The Examiner of the Communication is a reply of this communication to file a reply of this application. The Examiner of the Examiner of the Examiner of the Communication. The Examiner of the Communication of the Communication of the Examiner of the Communication. The Examiner of the Communication of the Examiner of the Communication of the Communication of the Communication. The Examiner of the Communication of				

Art Unit: 2817

DETAILED ACTION

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to the applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney W. Daniel Swayze (Reg. No. 34,478).

The application has been amended as follows:

Claims

Claim 1, line 5, after **sensor** inserted --directly--.

Claim 10, line 7, after **sensor** inserted --directly--.

Allowable Subject Matter

Claims 1-23 are allowed.

Claims 1-23 call for, among others, a resistive sensor **directly** coupled to the first transistor and the second transistor and a transconductance feedback block **directly** coupled between the resistive sensor and the serially coupled resistors and transistors.

Application/Control Number: 10/670,069

Art Unit: 2817

Conclusion

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh V. Nguyen whose telephone number is (571) 272-1767. The examiner can normally be reached from 8:00 AM - 3:30 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571) 272-1769. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KHANH VAN NGUYEN PRIMARY EXAMINER

Whanklandquyer

Art Unit: 2817